


ATLANTIS STANDARD

ATLANTIS STANDARD 13.0

Technical data		
Power supply	V-Hz	400 - 50/60
Electric socket	A	32
Start-up time	min	4
Boiler capacity	l	5
Boiler material		AISI 304
Boiler power	Kw	13
Steam product quantity	g/min	330
Steam output regulation	g/min	5 - 210 / 5 - 235
Steam pressure	bar	8,0 ± 0,3
Steam boiler temperature	°C	180
Unlimited autonomy		yes
Double safety valve PED 1	bar	9,0/9,5 ± 0,3
Thermostat	°C	200
PCB	V	230/12
Control panel voltage	V	5
Power cable length	m	10
Frame material		stainless steel 18/10
Standard wheels	Ø	150
Dimensions	mm	710x530x830
Weight	Kg	+/- 50

Hot water output		yes
Electronic hot water control		yes
Detergent output		yes
Detergent output regulation		yes
Water tank	l	29
Detergent tank	l	8.5

Optional
Vacuum system



Optional


Pneumatic wheels Ø 200 mm

Vacuum system

Double operator

ATLANTIS STANDARD 13.0

Vacuum/steam handle grip




4 m

6 m


8 m

Steam/vacuum kit


Floor brush 400 plus




Dust chassis 400 plus




Liquid vacuum chassis 400 plus




Upholstery chassis 400 plus



Glass washer 150




Bristled brush insert 150




2 pz

Rubber insert 150




2 pz

Glass washer 250



Steam lance plus



Steam lance adaptor plus



Ø 30 brushes plus



4 Nylon



4 Steel



4 Brass

Ø 60 brushes



Nylon



Steel



Brass

Flat lance



Nozzle 80 plus



Plunger



Trasparent nozzle




Novaltec Multigrass Spryer



Filler tunnel




Anti-scale vials



10 pz

Rigid extensions plus



OPTIONAL

Vacuuming steam brush soft bristle



Vacuuming steam lance soft bristle



Trasparent nozzle large



steam + chemical or water PRO handle grip




4 m

6 m

8 m

steam + chemical + water PRO handle grip




4 m

6 m

8 m

Steam tube



2 pz

Steam spryer with metal tube



ATLANTIS STANDARD 13.0

only steam EVO handle grip



4 m 6 m 8 m

steam + water or chemical EVO handle grip




4 m 6 m 8 m

steam + water + chemical EVO handle grip




4 m 6 m 8 m

Medium straight rigid extension



900 mm

Medium curved rigid extension



450 mm

Long straight rigid extension



1050 mm

Short curved rigid extension



250 mm

Ø 50 brushes



Nylon



Steel



Brass



Stainless steel



TYNCS


Brass nozzle



Scraper steam nozzle



Rectangular brush for steam




350 mm

Barrique washer



Kit car wash

Glass washer 150



Bristled brush insert 150



4 pz

Rubber insert 150



Steam lance plus



Ø 30 nylon brushes plus



4 pz

Flat lance



Nozzle 80 plus



Transparent nozzle



Vacuating steam brush soft bristle



Vacuating steam lance soft bristle



Novaltec Group S.r.l

Sede Amministrativa e Produzione: Via Pier Santi Mattarella, 28 - 30030 Gardigiano di Scorzè - Venezia
 T - +39 041 449949 F - +39 041 5830575 / info@novaltegroup.com / www.novaltegroup.com